

Sign in

Google

Web Images Video News Maps more »

ehpe 3150

Search

Advanced Search
Preferences

Search

Web

Results 1 - 10 of about 529 for ehpe 3150. (0.17 seconds)

Did you mean: [hp 3150](#)

Sponsored Links

DAICEL CHEMICAL INDUSTRIES:Article:EHPE 3150

POLYESTER **EHPE-3150** is a novel epoxy resin developed by DAICEL CHEMICALÜfs ... These features make **EHPE-3150** adaptable to electronic materials, optics, ...
www.daicel.co.jp/kinouhin/english/syousai/ehpe_3150.html - 6k -
[Cached](#) - [Similar pages](#)

ダイセル化学：有機機能品カンパニー：製品詳細：EHPE 3150- [Translate this page]

特徴, オプトエレクトロニクス用絶縁封止剤、粉体塗料等の硬化剤、ガラス繊維の収束剤 ポリエステ**EHPE - 3150**は、ダイセル化学工業(株)が独自の技術を用いて ...
www.daicel.co.jp/kinouhin/syousai/ehpe_3150.html - 7k -
[Cached](#) - [Similar pages](#)
[\[More results from www.daicel.co.jp \]](#)

Hp Laserjet

Choose a Versatile Printer for You
 Photo & Document Needs. Learn More
www.hp.com

Hp 3150

Bargain Prices. Smart Deals.
 Save on Hp 3150!
[Shopzilla.com](#)

ScienceDirect - Polymer : Cure kinetics of methacrylate-type resin ...

A main factor of reaction conversion rate increase for the NC-9110-MA resin system is a reaction rate constant; however, that for the **EHPE-3150-MA** resin ...
linkinghub.elsevier.com/retrieve/pii/S0032386103006475 - [Similar pages](#)

[PDF] Cure properties of methacrylate-type prepolymer that include ...

File Format: PDF/Adobe Acrobat
 reaction conversion for **EHPE-3150-MA** prepolymer. Ther- ... than that of **EHPE-3150-MA**, regardless of the kind of ther- mal initiator. ...
doi.wiley.com/10.1002/app.13635 - [Similar pages](#)

IngentaConnect Cure kinetics of methacrylate-type resin that ...

It can be shown that the reaction conversion rate of one methacrylate-type resin (NC-9110-MA) is faster than another resin (**EHPE-3150-MA**), regardless of the ...
www.ingentaconnect.com/content/els/00323861/2003/00000044/00000020/art00647 -
[Similar pages](#)

CAT.INIST.FR

It can be shown that the reaction conversion rate of NC-9110-MA is faster than that of **EHPE-3150-MA**, regardless of the kind of thermal initiator. ...
cat.inist.fr/?aModele=afficheN&cpsidt=15591013 - [Similar pages](#)

Fluorocarbon-modified epoxy resin - Patent 20060106177

Among the **EHPE** series, **EHPE 3150** is a solid epoxy resin and easy to handle. However, a cured product of the **EHPE 3150** has higher water-absorbing property ...
www.freepatentsonline.com/20060106177.html - 47k - [Cached](#) - [Similar pages](#)

Cationically electrodepositable resin composition from ...

A mixture of 155 parts of **EHPE 3150** (epoxy equivalent 175 to 195) [(A) ... To 100 parts of this cationic resin (Y-1), 37.5 parts of **EHPE-3150** of a solid ...

www.freepatentsonline.com/5089542.html - 77k - [Cached](#) - [Similar pages](#)
[[More results from www.freepatentsonline.com](#)]

[PDF] [BESCHWERDEKAMMERN DES EUROPÄISCHEN PATENTAMTS BOARDS OF APPEAL OF ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

"EHPE-3150" and hydrogenated bisphenol A-type epoxy resins as well as epoxy resins such as triglycidyl isocyanurate and "YX-4000". ...

legal.european-patent-office.org/dg3/pdf/t010168eu1.pdf - [Similar pages](#)

[Resin composition for aqueous coating containing glycidyl amines ...](#)

As the component (A-1), there can also be used commercial products, for example, EHPE 3150 (trade name) manufactured by DAICEL CHEMICAL INDUSTRIES, LTD. ...

www.patentstorm.us/patents/5405701-description.html - 74k - [Cached](#) - [Similar pages](#)

Did you mean to search for: [hp 3150](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

ehpe 3150 softening point

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 87 for **ehpe 3150 softening point**. (0.37 seconds)Did you mean: [hp 3150 softening point](#)Fluorocarbon-modified epoxy resin - Patent 20060106177

Among the **EHPE** series, **EHPE 3150** is a solid epoxy resin and easy to handle. ... has new problems that this epoxy resin has a low **softening point** and is very ...

www.freepatentsonline.com/20060106177.html - 47k - [Cached](#) - [Similar pages](#)

Resin composition and solder resist composition - Patent 5215863

... **EHPE-3150**, a product by Daicel Kagaku Kogyo K.K.) or the like. ... epoxy resin having an epoxy equivalent of 187, "EPPN-201, **softening point** 65.degree. ...

www.freepatentsonline.com/5215863.html - 39k - [Cached](#) - [Similar pages](#)

[[More results from www.freepatentsonline.com](#)]

Photosensitive resin compositions, cured films thereof, and ...

The prepolymer having too high a **softening point** may possible make the ability ... N-glycidyl epoxy resin or alicyclic epoxy resin (e.g., **EHPE-3150** made by ...

www.patentstorm.us/patents/6156462-description.html - 103k - [Cached](#) - [Similar pages](#)

Alkylsiloxane-containing epoxy resin composition, surface ...

... as side chains (e.g., **EHPE 3150**: trade name, available from Daicel Kagaku). ... is depending on the **softening point** and the glass transition temperature ...

www.patentstorm.us/patents/6586495-description.html - 67k - [Cached](#) - [Similar pages](#)

[[More results from www.patentstorm.us](#)]

Ultraviolet-curable resin composition and photosolder resist ink ...

... the purpose of further improving heat resistance and **softening point** of the ultraviolet ...

"**EHPE-3150**" manufactured by Daicel Chemical Industries, Ltd. ...

www.sumobrain.com/6896967.html - 90k - Supplemental Result - [Cached](#) - [Similar pages](#)

Method for color matching of powder coating composition - Patent ...

The thermosetting powder resin has a **softening** temperature of about 30 to about ... and "Celoxide 2021" (tradename) and "**EHPE-3150**" (tradename) both ...

www.sumobrain.com/6348520.html - 59k - Supplemental Result - [Cached](#) - [Similar pages](#)

[[More results from www.sumobrain.com](#)]

Method for producing a pattern formation mold patent invention

Examples also includes commercially available products (eg, **EHPE-3150** (epoxy equivalent: 170 to 190, **softening point**: 70 to 90.degree. ...

www.freshpatents.com/Method-for-producing-a-pattern-formation-mold-dt20060824ptan20060189160.php?type=des... - 68k - Supplemental Result -

[Cached](#) - [Similar pages](#)

Powder coating composition incorporating a wax in post-blended ...

... at a temperature above the **softening point** of the film-forming polymer(s) but ... and alicyclic poly-epoxides such as "**EHPE-3150**" supplied by Daicel. ...

www.patentgenius.com/patent/6800334.html - 95k - Supplemental Result -

[Cached](#) - [Similar pages](#)

Powder coating compositions - Patent # 6797749 - PatentGenius

... at a temperature above the **softening point** of the film-forming polymer(s) ... and on a particle size distribution graph Dv.99 is the **point** on the curve ...
www.patentgenius.com/patent/6797749.html - 88k - Supplemental Result -
[Cached](#) - [Similar pages](#)
[[More results from www.patentgenius.com](#)]

Method of forming a photoresist element

157 (epoxide equivalent weight of 180 to 250 grams resin per equivalent of epoxide (g resin/eq or g/eq) and a **softening point** of 80-90.degree.C: ...
innovation.gbwatch.com/patent-application/20060257785.html - 131k - Supplemental Result
- [Cached](#) - [Similar pages](#)

Did you mean to search for: [hp 3150 softening point](#)

Result Page: 1 of 2 [Next](#)

ehpe 3150 softening point

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

ehpe 3150 softening point

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 87 for **ehpe 3150 softening point**. (0.10 seconds)Did you mean: [hp 3150 softening point](#)Fluorocarbon-modified epoxy resin - Patent 20060106177Among the **EHPE** series, **EHPE 3150** is a solid epoxy resin and easy to handle. ... has new problems that this epoxy resin has a low **softening point** and is very ...www.freepatentsonline.com/20060106177.html - 47k - [Cached](#) - [Similar pages](#)Resin composition and solder resist composition - Patent 5215863... **EHPE-3150**, a product by Daicel Kagaku Kogyo K.K.) or the like. ... epoxy resin having an epoxy equivalent of 187, "EPPN-201, **softening point** 65.degree. ...www.freepatentsonline.com/5215863.html - 39k - [Cached](#) - [Similar pages](#)[[More results from www.freepatentsonline.com](#)]Photosensitive resin compositions, cured films thereof, and ...The prepolymer having too high a **softening point** may possible make the ability ... N-glycidyl epoxy resin or alicyclic epoxy resin (e.g., **EHPE-3150** made by ...www.patentstorm.us/patents/6156462-description.html - 103k - [Cached](#) - [Similar pages](#)Alkylsiloxane-containing epoxy resin composition, surface as side chains (e.g., **EHPE 3150**: trade name, available from Daicel Kagaku). ... is depending on the **softening point** and the glass transition temperature ...www.patentstorm.us/patents/6586495-description.html - 67k - [Cached](#) - [Similar pages](#)[[More results from www.patentstorm.us](#)]Ultraviolet-curable resin composition and photosolder resist ink the purpose of further improving heat resistance and **softening point** of the ultraviolet ...

"EHPE-3150" manufactured by Daicel Chemical Industries, Ltd. ...

www.sumobrain.com/6896967.html - 90k - Supplemental Result - [Cached](#) - [Similar pages](#)Method for color matching of powder coating composition - Patent ...The thermosetting powder resin has a **softening** temperature of about 30 to about ... and "Celoxide 2021" (tradename) and "EHPE-3150" (tradename) both ...www.sumobrain.com/6348520.html - 59k - Supplemental Result - [Cached](#) - [Similar pages](#)[[More results from www.sumobrain.com](#)]Method for producing a pattern formation mold patent inventionExamples also includes commercially available products (eg, **EHPE-3150** (epoxy equivalent: 170 to 190, **softening point**: 70 to 90.degree?...)www.freshpatents.com/Method-for-producing-a-pattern-formation-mold-dt20060824ptan20060189160.php?type=des... - 68k - Supplemental Result -[Cached](#) - [Similar pages](#)Powder coating composition incorporating a wax in post-blended at a temperature above the **softening point** of the film-forming polymer(s) but ... and alicyclic poly-epoxides such as "EHPE-3150" supplied by Daicel. ...www.patentgenius.com/patent/6800334.html - 95k - Supplemental Result -[Cached](#) - [Similar pages](#)Powder coating compositions - Patent # 6797749 - PatentGenius

... at a temperature above the **softening point** of the film-forming polymer(s) ... and on a particle size distribution graph Dv.99 is the **point** on the curve ...
www.patentgenius.com/patent/6797749.html - 88k - Supplemental Result -
[Cached](#) - [Similar pages](#)
[[More results from www.patentgenius.com](#)]

Method of forming a photoresist element

157 (epoxide equivalent weight of 180 to 250 grams resin per equivalent of epoxide (g resin/eq or g/eq) and a **softening point** of 80-90.degree. C. ...
innovation.gbwatch.com/patent-application/20060257785.html - 131k - Supplemental Result
- [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.

If you like, you can repeat the search with the omitted results included.

Did you mean to search for: **hp 3150 softening point**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

~~ADN~~

=> D HIS

(FILE 'HOME' ENTERED AT 14:54:17 ON 10 JAN 2007)

FILE 'REGISTRY' ENTERED AT 14:56:08 ON 10 JAN 2007

L1 1 S EHPE 3150/CN

FILE 'CAPLUS' ENTERED AT 14:56:35 ON 10 JAN 2007

L2 64 S L1 AND PHOTO?
L3 3 S L2 AND PHOTOACID
L4 61 S L2 NOT L3
L5 1 S L4 AND SULFONIUM
L6 60 S L4 NOT L5
L7 0 S L6 AND SULPHONIUM
L8 0 S L6 AND PHOTO ACID
L9 11 S L6 AND SOLVENT
L10 21705 S SOFTENING POINT
L11 1 S L10 AND L2
L12 1 S L1 AND L10
L13 66 S EPOXY RESIN AND L10 AND PHOTO?
L14 65 S L13 NOT L2
L15 4 S L14 AND (PHOTOACID OR PHOTO ACID OR SULFONIUM OR SULPHONIUM)

SN 10/526,383

by Primary Examiner Cynthia Hamilton